

FARM IMPLEMENTS!



AND

WHERE TO BUY THEM.

The Osborne Columbia Mower.

CONSIDER THESE FEATURES:

- The new square main frame, cast in one solid piece.
- The great width between the main wheels, straddling the entire swath.
- A crank shaft box, independent of the main frame.
- Flexible cutter bar, which adjusts itself to uneven ground.





The Osborne Columbia Harvester and Binder . . .

- Low Elevation.
- Main frame and platform frame one piece of steel—no lap joints or rivets.
- Force feed roller to prevent leakage.
- Relief spring taking jar from machine.
- Self aligning boxes.
- The strongest and lightest machine on the market.

The Osborne Self-Dump Hay Rake.

- Bicycle wheels, strong and durable.
- Patent whiffletree which adjusts the collar to horse's shoulder.
- Floating teeth, which prevents hay from rolling and packing.
- Adjustable for fast or slow horse.
- Reversible dump rods and axle, which double the wear of the rake.



REMEMBER:

OSBORNE

FARM IMPLEMENTS

SUCCEED

WHERE OTHERS FAIL.

Patent Roller Bearings Are Used
In All the Osborne Machinery.

GREENSBORO

HARDWARE COMPANY.

John R. Stewart,

William E. Phipps,

Marshall C. Stewart.