

# The Daily Sentinel.

RALEIGH, N. C., SATURDAY, MARCH 4, 1871.

VOL. VI.

## Daily Sentinel.

JOSIAH TURNER, Jr., Editor.  
JOHN SPENCE, Associate & Local Editor

BAXTER, NASH & CO.

40 AND 42 WIDE WATER ST.,  
NORFOLK, VA.

COMMISION MERCHANTS,  
WHOLESALE GROCERS AND LIQUOR  
DEALERS.

We deal largely, and our facilities enables us to offer special inducements to prompt pay-  
ing customers.

PARTICULAR ATTENTION GIVEN TO ORDERS  
FOR THE MONTH OF MARCH.

O'HARA'S POCKET GIANT,  
CORN SHELLER.

PATENTED, NOV. 13, 1868.

AMERICAN, CHESAPEAKE AND TEXAS STEEL  
PAILS, CANNING AND TEXAS STEEL PAILS.

1970. Weight, 12 ounces. Shells 6 bushels  
per hour; is the only Sheller that shells off  
every part of the shell. It is the "thing" in all coun-  
tries. It gives a perfect protection to the hands in  
this most laborious process. For simplicity,  
portability, efficiency, great variety of uses,  
and economy, it is unequalled. It is a great  
asset to every farmer and manufacturer, and  
challenges the whole world! Sample by  
express, with full particulars, \$1.50.

Special Agents wanted in every county.

You can make from \$10 to \$20 per day  
laboring about your business. Send for Cir-  
cular.

(Manufacturing A. J. N. C.)

Raleigh, N. C.

NOTICE.—I have a large stock of heavy Groceries  
&c., which I offer very cheap.

50 Sacks Rice 10¢ to 20¢.

50 Sacks Best Legume 22.

50 Pockets Govt. Java 25.

50 Hds. "A" Sugar.

10 " Ex. C. "

20 " P. R. "

10 " Sem. "

25 " Merchant's "C"

200 Lbs. Bacon.

5,000 " Hams.

5,000 " Lard.

50 " Fish.

100 Sacks Salt.

1,000 Lbs. Candy assorted.

300 " Sole Leather.

30 Bals. Crackers.

500 Boxes Spain Cotton.

100 Kgs. Old Dominion Nails.

100 Bals. Washing Linen.

2,000 Pcs. heavy Boots and Shoes.

500 Bundles Spain Cotton.

100 Bals. Whisky.

300 Gals. Apple Brandy.

2000 Lbs. Shot.

20 Kgs. F. F. Powder, &c., &c., &c.

G. T. STONACH,

Feb 4-18  
Market St.

A. BALDWIN

PATENT GLASS SUBMERGED  
DOUBLE-ACTING FORCE PUMP,  
SUBSTITUTED FOR A FIRE ENGINE.

This pump, will pump from 30 to 150 gallons  
per minute, and will do the work of 100 men, and  
will pump out the packing, the cylinder and  
valves being glass. No water ever stands in  
the pipes to stale or freeze, and it is less liable to  
get out of order than any pump. It is  
so simple and safe that it can be set up  
by an ordinary mechanic in a short time.  
Having the exclusive right to manufacture this  
pump for North and South Carolina, I will  
revert to you the right to manufacture an order  
at William G. MORRISON.

The depth of well or cistern must accompany  
all orders if I furnish the pipe. Also, sufficient  
reference to the engine must be made by Ex-  
ecutive Engineers, so as to give them opportunity  
to give satisfaction if set up by directions sent  
with pump. Circulars forwarded upon applica-  
tion. J. L. KITCHIN,  
Wilson, N. C.

CERTIFICATES.

J. L. KITCHIN, Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend your pump to the care-  
ful examination and use of the public.  
J. L. KITCHIN,  
Esq.,  
Dear Sir: We have had your building's  
Plans and Specifications, and at various  
periods since March 1858, and we are free to say,  
that they are in every way satisfactory.  
There is no indication of wear or early getting  
out of order. All the parts that were  
designed by you have been made, and can  
easily be brought up, even by children for ordi-  
nary use, and by attaching some, and putting  
two or three men to the lever, the pump  
can easily move, and will pump out all the  
water to within any ordinary use. We  
therefore recommend