Depo-Provera is 99.7% effective in preventing unintended pregnancies.

If you're not ready, you're not ready. That's why more women than ever choose *Depo-Provera*. You need just 1 shot every 11 to 13 weeks to protect you from pregnancy. So, you can focus on history, not maternity.

<u>Depo-Provera</u> does not protect you from

<u>HIV/AIDS or other sexually transmitted diseases.</u>

You shouldn't use *Depo-Provera* if you could be pregnant or if you have had any unexplained periods. You should not use it if you have a history of breast cancer, blood clots, stroke, or liver disease. When using *Depo-Provera*, there may be a loss of some of the bone mineral stored in your bones. This could increase your risk of developing bone fractures.

See what *Depo-Provera* is all about. Call toll free 1-866-519-DEPO or visit www.depo-provera.com.

Some women using *Depo-Provera* have side effects. The most common are irregular periods or spotting. Many women stop having periods altogether after a few months. You may gain weight when using *Depo-Provera*. About two thirds of the women in clinical trials reported a weight gain of about 5 lb during the first year of use.

If you're not ready to get pregnant, be ready with effective birth control. Talk to your health care provider to see if prescription *Depo-Provera* is right for you.



Birth control you think about just 4 x a year.

Please see important product information on the adjacent page.

DE148562A

© 2003 Pfizer Inc.

All rights reserved.

Printed in USA/September 2003

10%

